

CITY OF GREENVILLE BID FORM
Mailing Address - P.O. BOX 158
Physical Address - 119 EAST COMMERCE ST
GREENVILLE, AL 36037-0158
Phone: (334) 382-2647

BID REQUEST FOR: 2022 STREET MILLING AND RESURFACING PROJECT
BID DATE: WEDNESDAY, JULY 6, 2022 – 1:00 PM
BID CONTACT: GARRETT LUCKIE, PUBLIC WORKS DIRECTOR (334) 368-0201

Attention Bidders:

In accordance with Section 41-16-50, code of Alabama, 1975 as amended by Act 97-225, notice is hereby given that the City of Greenville, Alabama, will receive competitive bids as specified in this bid packet. Sealed Bids will be received in the Office of the City Clerk located in City Hall until the date and time listed above and then publicly opened and read. All bids must be prepared on City's bid form and notarized. All bids must be sealed indicating the following on the front of the envelope: (1) "Bid Enclosed"; (2) Name of Bid Item; and (3) Date and Time of Bid Opening; and (4) Alabama State Contractor's License Number. Bids prepared in pencil, submitted by FAX or electronic means will not be accepted. No errors shall be corrected after bids are opened. The City of Greenville is tax exempt. The City reserves the right to accept or reject all bids or any portion thereof. The City reserves the right to accept or reject all bids or any portion thereof.

Dee H. Blackmon, CMC, City Clerk - Treasurer

SEE ATTACHED BID SPECIFICATIONS FOR 2022 STREET PAVING PROJECT

BID ITEM	ESTIMATED QUANTITIES	UNIT PRICE	BID AMOUNTS
Surface Tonnage [DOT Standards]	5,996		
Leveling Tonnage	280		
Variable Milling	43,762 Sq. Yards		
Hauling Millings	43,762 Sq. Yards		
Temporary Construction Signage	Lump Sum		
Manhole Adjustment	38		
Water Valve Adjustment	16		
Gas Valve Adjustment	19		
		TOTAL BID	\$

VENDOR'S STATEMENT:

If awarded bid, we are in position to begin said job _____ days after acceptance of bid. Any attachment hereto becomes a part of this inquiry and must be signed by Bidder. I hereby affirm I have not been in any agreement among bidders or prospective bidders in restraint of freedom of competition, by agreement to bid at a fixed price or to refrain from bidding, or otherwise. I understand that my company must purchase all applicable business licenses from the City of Greenville before beginning this job.

Firm _____ Contact _____
 Address _____ City/St/Zip _____
 Phone _____ FAX _____ Email _____

By _____ Date _____

~Signature of Representative Must be in Ink~

Notary Statement

This Bid Document has been sworn to and subscribed before me this _____ day of _____, 2022.

Signature of Notary Public _____

My Commission Expires _____

**CITY OF GREENVILLE
2022 STREET PAVING PROJECT**

D C I O S T R I C T I C L E	STREET NAME	T	T		H	A	W	A	J
		ON SN UA 1 RC 6 FE 5 AL CAB ETS	LN EN VA 2 EG 2 LE 0 IL NAB GTS	M Y ISA LQR LUD IAA NRG GEE	A UM LI Y ILSA NLQR GIUD NAA OGRG FSEE	M U J AS NT HM OE LN ET	A D J AS NT HM OE LN ET	A A T D E J R U S V T A M L E V N E T	A G D A J S U S V T A M L E V N E T
1,2,5	South St. (Administrative to Oliver)	859	40	8,965	8,965	9	3	3	
2	Church St.(Parmer to Herbert)	309	20	3,741	3,741	1	1	3	
2	Redbud Ln.(N Perry to Country Club Dr.)	218	20	2,640	2,640	6	1	0	
2,4	Harrison St.(Herbert to Perdue)	559		6,780	6,780	5	1	0	
2	Glendale Ave.(Redbud to Boutwell)	289	20	3,498	3,498	2	1	2	
3	N. Pine (Cedar to Dead End)	243	20	2,944	2,944	1	1	0	
3	Myrtle Dr. (Burnett to Gates)	62							
3	Nutrition Center Parking Lot	166							
3	Interstate Dr. (Tractor Supply to Hampton Inn)	438				1			
4,5	Perdue St. (Government to S Park)	461				1	1	7	
4,5	Parmer St. (Harrison to S Conecuh)	576	40	4,776	4,776	3	1	3	
5	Government (Bolling to Valley Dr)	803	80	6,747	6,747	5	6	1	
5	Norvel (Government to Valley Dr.)	292	20	3,535	3,535	4			
5	Lucille St. (S. College to Dohrimer)	178	20						
5	Alice St. (Redmond to Dohrimer)	65							
2	City Hall Parking Lots	237		136	136				
4	Tennis Courts	241							
	Totals	5,996	280	43,762	43,762	38	16	19	\$0.00

CITY OF GREENVILLE
2022 STREET MILLING & RESURFACING PROJECT
BID DEADLINE – WEDNESDAY, JULY 6, 2022 – 1:00 P.M.

BIDDING REQUIREMENTS:

1. A certified check or bond payable to the City of Greenville for not less than five percent (5%) of the bid amount, not to exceed \$10,000.00, must accompany each proposal.
2. Workmen's Compensation, public liability and property damage insurance, Performance, Labor and Material Bonds will be required.
3. Bid must be submitted on proposal form furnished by the City at the date, time and place indicated.
5. All bidders bidding in amounts exceeding that established by the State Licensing Board for General Contractors must be licensed under the provisions of Title 34, Chapter 8, Code of Alabama, 1975, as amended, and must show evidence of license before bidding or bid will not be accepted or considered. All bidders shall show evidence of State Licensing Board General Contractors License by including current license number on the outside of the sealed envelope in which the proposal is delivered. Bidder must also include his or her current license number on the proposal form. No bid may be withdrawn within 60 days following the bid opening.
6. The City of Greenville reserves the right to reject any or all proposals and to waive technical errors if, in their judgment, the best interests of the City will thereby be promoted.
7. Contractor shall be responsible for all construction signage and traffic control. The contractor shall provide and maintain lighted barricades and warning signage for all potentially hazardous situations, drop-offs, structures or exposed utility sites created during milling until street is resurfaced.
8. Job will begin within fifteen (15) days after acceptance of "Notice of Award" and be completed within ninety (90) calendar days. Construction dates must be coordinated with Public Works Director in advance so proper notice may be given to residents.

GENERAL BID SPECIFICATIONS:

1. Bid includes milling, cleaning, and asphalt surface for city streets as listed. Per-ton price should include asphalt, hauling, cleaning, and driveway stub-outs no longer than three (3) feet. All driveway stub-outs are to be constructed simultaneously with street resurfacing (not after paving has been completed).
2. A variable milled surface is required on this project. Edge of milled surface at the gutter should be six inches (6") below top of curb. Milled surface at centerline of roadway shall be 1½ - 2 inches below existing surface. Milled surface cannot be exposed more than fifteen (15) days.
3. City will retain millings with contractor providing transportation of millings from construction site to the City's storage site on Landfill Road.

4. Unit price governs.
5. Tack coat is required and should be included in per-ton price.
6. Asphalt price adjustment is not applicable to this project.
7. Payment to be made on quantities placed.
8. Cleaning and tacking of all area to be resurfaced is required.
9. Contractor will be required to remove all loose asphalt from curb and gutter upon completion of project.
10. Contractor will be required to clear project area of all trash and debris upon completion.
11. City shall be provided a copy of all daily load tickets for the project signed by the City's designated project inspector or Public Works Director.

PAVING NOTES:

1. List of city streets to be included in project is attached for contractor's reference.
2. Overlay resurfaced area with 165 lbs. of ALDOT standards 1/2" surface mix asphalt.
3. Leveling of asphalt to be determined by Public Works Project Inspector using 416-A 1/2" surface mix asphalt.
4. There are THIRTY EIGHT (38) manholes, SIXTEEN (16) water valves, and NINETEEN (19) gas valves. Outer edge of manholes shall have approximately 12" x 4" lip of 3,000 lb. concrete mix with wire. Project inspector will determine necessary adjustments on manholes and water and gas valves.
5. All driveway stub-outs, where necessary, are to be paved an average of three (3) feet. Construction of driveway stubs should take into consideration drainage and clearance.